



WHAT IS COLONOSCOPY?

Colonoscopy is a procedure that enables your physician to examine the lining of the colon (large bowel) for abnormalities by inserting a flexible tube that is about the thickness of your finger into the anus and advancing it slowly into the rectum and colon. ■

WHAT PREPARATION IS REQUIRED?

The colon must be completely clean for the procedure to be accurate and complete. Your physician will give you detailed instructions regarding the dietary restrictions to be followed and the cleansing routine to be used. In general, preparation consists of either consumption of a large volume of a special cleansing solution or several days of clear liquids, laxatives and enemas prior to the examination. Follow your doctor's instructions carefully. If you do not, the procedure may have to be cancelled and repeated later. ■

WHAT ABOUT MY CURRENT MEDICATIONS?

Most medications may be continued as usual, but some medications can interfere with the preparation or the examination. It is therefore best to inform your physician of your current medications as well as any allergies to medications several days prior to the examination. Aspirin products, arthritis medications, anticoagulants (blood thinners), insulin, and iron products are examples of medications whose use should be discussed with your physician prior to the examination. It is also essential that you alert your doctor if you require antibiotics prior to undergoing dental procedures, since you may need antibiotics prior to colonoscopy as well. ■

WHAT CAN BE EXPECTED DURING COLONOSCOPY?

Colonoscopy is usually well tolerated and rarely causes much pain. There is often a feeling of pressure, bloating, or cramping at times during the procedure. Your doctor may give you medication through a vein to help you relax and better tolerate any discomfort from the procedure. You will be lying on your side or on your back while the colonoscope is advanced slowly through the large intestine. As the colonoscope is slowly withdrawn, the lining is again carefully examined. The procedure usually takes 15 to 60 minutes. In some cases, passage of the colonoscope through the entire colon to its junction with the small intestine cannot be achieved. The physician will decide if the limited examination is sufficient or if other examinations are necessary. ■

WHAT IF THE COLONOSCOPY SHOWS SOMETHING ABNORMAL?

If your doctor thinks an area of the bowel needs to be evaluated in greater detail, a forceps instrument is passed through the colonoscope to obtain a biopsy (sample of the colon lining) or a small brush is introduced to collect cells (a cytology test). These specimens are submitted to the pathology laboratory for analysis. If colonoscopy is being performed to identify sites of bleeding, the areas of bleeding may be controlled through the colonoscope by injecting certain medications or by coagulating the bleeding vessels. If polyps are found, they are generally removed. None of these additional procedures produce pain since the colon lining can only sense stretching. Remember, biopsies are taken for many reasons and do not necessarily mean that cancer is suspected. ■

WHAT ARE POLYPS AND WHY ARE THEY REMOVED?

Polyps are abnormal growths from the lining of the colon which vary in size from a tiny dot to several inches. The majority of polyps are benign (noncancerous) but the doctor cannot always tell a benign from a malignant (cancerous) polyp by its outer appearance alone. For this reason, removed polyps are sent for tissue analysis by the pathologist. Removal of colon polyps is an important means of preventing colorectal cancer. ■

HOW ARE POLYPS REMOVED?

Tiny polyps may be totally destroyed by fulguration (burning) but larger polyps are removed by a technique called snare polypectomy. The doctor passes a wire loop (snare) through the colonoscope and severs the attachment of the polyp from the intestinal wall by means of an electrical current. You should feel no pain during the polypectomy. There is a small risk that removing a polyp will cause bleeding or result in a burn to the wall of the colon which could require emergency surgery. ■

WHAT HAPPENS AFTER COLONOSCOPY?

After colonoscopy, your physician will explain the results to you. If you have been given medications during the procedure, you will be observed until most of the effects of sedation have worn off (for 1/2 to 2 hours). You will need someone to drive you home after the procedure. You may have some cramping or bloating because of the air introduced into the colon during the examination. This should disappear quickly with passage of flatus (gas). Generally, you should be able to eat after leaving the endoscopy area but your doctor may restrict your diet and activities, especially after polypectomy. ■